AUTHOR INDEX

Abernathy, Michael F., Analytic software for the testing of annular resonator concepts, 336
Ackerhalt, J. R., Self-focusing in SF_6, 223
———, Stimulated Raman scattering and four-wave mixing: steady-state plane-wave analytic solutions, 293
Ahrenkiel, R. K., Scanning microellipsometer for the spatial characterization of thin films, 390
Alexander, R. F., Design and construction of a short pulse front end for a large CO_2 laser, 179
Bain, C. N., Thick optical films for the conduction of optical and infrared radiation, 25
Bair, C. H., Ozone air broadening coefficients in the 9 μm region, 376
Barnard, Calvin C., Distinctions between undersampling and aliasing errors in numerical evaluation of diffraction patterns, 512
Bauke, W., Optical tooling for Antares, 154
Baumeister, Philip, High-precision multipass reflectometer, 387
———, Low-level losses in ultraviolet laser window materials, 18
Bausman, M. D., Far-infrared Faraday rotation measurement of ZT-40 poloidal magnetic field, 276
Bender, J. W., Reduction and elmination of surface texture on molybdenum optical components, 136
Bennett, J. M., Surface characterization of diamond-turned metal optics, 534
Bjork, C. W., Calorimetry at 10.6 μm using organic volume absorbers, 476
Bjurstrom, R. G., *In situ* optical breakdown—studies for a large CO_2 laser amplifier, 169
Blank, R. E., Image intensified linear self-scanned array instrument, an, 447
Bobbett, R. E., Optical method for determining the state-of-charge of a lead-acid battery, 349
Bolen, P. D., Optical analysis and alignment applications using the infrared Smartt interferometer, 415
Bowden, C. M., Transverse effects in swept-gain superradiance: evolution from the superradiant state, 364
Briones, R. A., Optical quality of pulsed aerodynamic laser windows, 118
Brixner, Berlyn, Ultraviolet spectrograph lens, 12
Brooks, J. M., Continuous wave (cw) chemical laser outcoupled beam diagnostic system, 465
Brown, R. Hanbury, Modernizing Michelson's stellar interferometer, 545
Buchwald, M. I., Sub-Doppler optoacoustic spectroscopy, 308
Budgor, A. B., Deformable mirror as a phase aberration corrector for fusion beam trains, 83
Cantoni, A., Kinetics of a continuous wave (cw) infrared laser induced reaction, 217
Cantrell, D. C., Coherent propagation effects in multiple-photon molecular excitation, 551
Carlson, R. L., Multigigahertz beam diagnostics for laser fusion, 458
Carpenter, J. P., *In situ* optical breakdown—studies for a large CO_2 laser amplifier, 169
Carpenter, R. W., Far-infrared Faraday rotation measurement of ZT-40 poloidal magnetic field, 276
Casperson, D. E., Optical diagnostics of CO_2 laser fusion targets using backscattered light, 470
Cobble, M. H., Concentration of a Cassegrain solar furnace, 46
Coffelt, E. L., *In situ* optical breakdown—studies for a large CO_2 laser amplifier, 169
Collins, C. R., Design and construction of a short pulse front end for a large CO_2 laser, 179
Combs, C., Opto-mechanical devices for the Antares automatic beam alignment system, 484
Comly, J. C., Jr., Small signal gain spectrum of an 1800 Torr CO_2 amplifier, 164
Day, R. D., Antares alignment gimbal positioner, 173
Decker, D. L., Surface characterization of diamond-turned metal optics, 534
Derouin, C. R., Optical method for determining the state-of-charge of a lead-acid battery, 349
Detch, J. L., Jr., Nanosecond gating properties of proximity-focused microchannel-plate image intensifiers, 426
———, Radial pulse propagation and impedence characteristics of optically shuttered channel intensifier tubes, 434
Dovichi, N. J., Frequency response of the thermal lens, 372
Dunlavy, D. J., Scanning microellipsometer for the spatial characterization of thin films, 390
Dunn, R. B., Design and performance of a new emission-line coronagraph, 395
Edwards, David F., High-precision multipass reflectometer, 387
———, Improved aluminum coatings for the ultraviolet, 15
———, Low-level losses in ultraviolet laser window materials, 18
Elliott, C. J., *In situ* optical breakdown—studies for a large CO_2 laser amplifier, 169
Esherick, Peter, Use of a free-expansion jet in ultrahigh resolution Raman spectroscopy, 288
Ewing, D. G., Reduction and elimination of surface texture on molybdenum optical components, 136
Feldman, B. J., Ultraviolet phase conjugation and its practical implications, 253
Fisher, Robert A., Ultraviolet phase conjugation and its practical implications, 253
Fisher, R. R., Design and performance of a new emission-line coronagraph, 395
Flournoy, J. M., New liquid scintillators for fiber optic applications, 322
Foltyn, S. R., Laser damage testing of coated reflectors at excimer laser wavelengths, 21
Forney, Paul, Design and fabrication of aluminum mirrors for a large aperture precision collimator operating at cryogenic temperatures, 104
Franks, L. A., New liquid scintillators for fiber optic applications, 322
Freese, K. B., Multiple-point Thomson scattering measurement for the ZT-40 reversed field pinch, 280
Fuller, Joseph B. C., Jr., Design and fabrication of aluminum mirrors for a large aperture precision collimator operating at cryogenic temperatures, 104
———, Optical system design and performance of the Lockheed Sensor Test Facility (LSTF), 340
Galbraith, H. W., Self-focusing in SF_6, 223
Gaul, Harry, Optical characterization method for concentrating solar collectors using reverse illumination, 498
Gibbs, A. J., Design and fabrication of a high-damage threshold infrared Smartt interferometer, 412
Glass, Alexander J., Figures of merit for short wavelength lasers, 561
Goldstein, J. C., Small signal gain spectrum of an 1800 Torr CO_2 amplifier, 164
Golnik, G., Continuous wave (cw) chemical laser outcoupled beam diagnostic system, 465
Gordon, B. A., Thick optical films for the conduction of optical and infrared radiation, 25
Grammar, J. R., Optical system design and performance of the Lockheed Sensor Test Facility (LSTF), 340
Grev, Prescott C., Development of two infrared position sensors, 454
Gribble, Rita, Multiple-point Thomson scattering measurement for the ZT-40 reversed field pinch, 280
Haglund, R. F., Jr., Small signal gain spectrum of an 1800 Torr CO_2 amplifier, 164
———, Temporal shaping of nanosecond CO_2 laser pulses in multiphoton saturable absorbers, 184
Hammond, R. B., Design and fabrication of a high-damage threshold infrared Smartt interferometer, 412
———, Scanning microellipsometer for the spatial characterization of thin films, 390
Hanson, Ronald K., Optical fiber probe using tunable laser absorption spectroscopy for combustion measurements, 236
Harris, J. M., Frequency response of the thermal lens, 372
Harward, C. N., Ozone air broadening coefficients in the 9 μm region, 376
Hayden, J. J., *In situ* optical breakdown—studies for a large CO_2 laser amplifier, 169

Hebron, D. E., *In situ* optical breakdown—studies for a large CO_2 laser amplifier, 169
Herziger, G., Annular apertures focused in the Fresnel region, 505
Hickman, G. Daniel, Laser-induced bioluminescence, 263
Hocker, L., High-speed photodetector for plasma diagnostics, 404
Hodson, E. K., Multigigahertz beam diagnostics for laser fusion, 458
Hoell, J. M., Ozone air broadening coefficients in the 9 μm region, 376
Holzman, M. A., Signal enhancement by spectral equalization of high-frequency broadband signals transmitted through optical fibers, 317
Hopkins, B., High-speed photodetectors for plasma diagnostics, 404
Hopkins, Robert E., Geometrical optics in a laser laboratory, 568
Huang, C. Y., Solid-state phase transitions in CuCl under hydrostatic pressures to 12.8 GPa, 314
Hudson, J., Absorption spectra of AgI at pressures to 136 kbar, 310
Jacobson, A. R., Eight-chord CO_2 interferometer for plasma density measurements on ZT-40, 269
Jahoda, Franz C., Lasers as a tool for plasma diagnostics, 518
Jalenak, W. A., Pressure and power dependence in the infrared laser photolysis of 1-chloro-1-fluoroethylene: experiment and modeling calculations, 229
Jaramillo, S. A., Nanosecond gating properties of proximity-focused microchannel-plate image intensifiers, 426
Johnson, C. B., Image intensified linear self-scanned array instrument, an, 447
Jolin, L. J., Eight-chord CO_2 interferometer for plasma density measurements on ZT-40, 269
Jones, C. R., Large area, high speed detectors for the ultraviolet, 421
Jones, L. A., Position diagnostics for a magnetic-pinch imploding cylinder x-ray generator, 493
Jordan, D. C., Glancing incidence optics for high power lasers, 54
Jungst, R. G., Application of dual-beam second-derivative tunable diode laser infrared spectroscopy to trace gas measurement at atmospheric pressure, 245
Kafalas, Peter, Development of two infrared position sensors, 454
Kathuria, Y. P., Annular apertures focused in the Fresnel region, 505
Kerwin, W. J., Optical method for determining the state-of-charge of a lead-acid battery, 349
King, N. S. P., Nanosecond gating properties of proximity-focused microchannel-plate image intensifiers, 426
Klare, K. A., Far-infrared Faraday rotation measurement of ZT-40 poloidal magnetic field, 276
Klein, Claude A., Mirror figure-of-merit and material index-of-goodness for high power laser beam reflectors, 69
Klug, Carl M., Design and fabrication of aluminum mirrors for a large aperture precision collimator operating at cryogenic temperatures, 104
Knasel, T. M., Thick optical films for the conduction of optical and infrared radiation, 25
Knowlden, R. E., Measurement in visible light of wavefront errors produced by dielectric-enhanced infrared reflectors: some calculations, 78
Koster, D. F., Kinetics of a continuous wave (cw) infrared laser induced reaction, 217
Krohn, B. J., Modeling the CF_4 laser, 209
Kulkarny, V. A., Optical quality of pulsed aerodynamic laser windows, 118
Kurnit, N. A., Whispering-mode waveguide, 142
Kychakoff, George, Optical fiber probe using tunable laser absorption spectroscopy for combustion measurements, 236
Kyrala, George A., Out-of-focus intensity distribution: effects of focal number and aberration, 63
LaDelfe, Peter, Improved aluminum coatings for the ultraviolet, 15
Lakshminarayanan, Vasudevan, Use of matrix methods in the calculation of the normal modes of molecular vibrations and refinement of molecular force fields, 300
Lawrence, George N., Distinctions between undersampling and aliasing errors in numerical evaluation of diffraction patterns, 512
Leonard, Thomas A., Infrared polarizar selection, 129
Lewis, J. T., Continuous wave (cw) chemical laser outcoupled beam diagnostic system, 465
Liberman, I., Optical analysis and alignment applications using the infrared Smartt interferometer, 415
Liebenberg, D. H., Absorption spectra of AgI at pressures to 136 kbar, 310
———, Solid-state phase transitions in CuCL under Hydrostatic pressures to 12.8 GPa, 314
Looney, L. D., High-speed photodetector for plasma diagnostics, 404
Loree, T. R., Laser-induced breakdown spectroscopy: a technique for atomic detection and molecular identification, 241
Louisell, W. H., Coherent propagation effects in multiple-photon molecular excitation, 551
Lujan, R. E., Antares alignment gimbal positioner, 173
Lutz, S. S., New liquid scintillators for fiber optic applications, 322
Lynch, Richard V, III, Laser-induced bioluminescence, 263
Lyons, P. B., High-speed photodetector for plasma diagnostics, 404
———, New liquid scintillators for fiber optic applications, 322
———, Signal enhancement by spectral equalization of high-frequency broadband signals transmitted through optical fibers, 317
Macleod, H. A., Performance-limiting factors in optical coatings, 580
Magner, J. A., Noncontact alignment and spacing of optics, 111
Malinowski, R. L., Thick optical films for the conduction of optical and infrared radiation, 25
Martin, C. A., Noncontact alignment and spacing of optics, 111
Massey, R. S., Multiple-point Thomson scattering measurement for the ZT-40 reversed field pinch, 280
Masterson, Keith, Optical characterization method for concentrating solar collectors using reverse illumination, 498
Mattar, Farres P., Effects of propagation, transverse mode coupling, diffraction, and fluctuations on superfluorescence evolution, 353
———, Transverse effects in swept-gain superradiance: evolution from the superradiant state, 364
McCall, Gene H., Uncertainties associated with inertial fusion ignition, 587
McCormick, J. B., Optical method for determining the state-of-charge of a lead-acid battery, 349
McDowell, R. S., Modeling the CF_4 laser, 209
McGillicuddy, R., Reduction and elimination of surface texture on molybdenum optical components, 136
McLellan, E. J., Large area, high speed detectors for the ultraviolet, 421
McLeod, J., *In situ* optical breakdown—studies for a large CO_2 laser amplifier, 169
Mills, R. L., Solid-state phase transitions in CuCl under hydrostatic pressures to 12.8 GPa, 314
Montes, Carlos, Stimulated ion-Compton modulation of a laser beam, 199
Mullins, Bill, Interferometry of large diameter beam expanders, 38
Mumola, P. B., Glancing incidence optics for high power lasers, 54
Nelson, M., High-speed photodetector for plasma diagnostics, 404
Nereson, N. G., Modelng the CF_4 laser, 209
Newnam, B. E., Laser damage testing of coated reflectors at excimer laser wavelengths, 21
Noel, B. W., Radial pulse propagation and impedance characteristics of optically shuttered channel intensifier tubes, 434
Nogar, N. S., Pressure and power dependence in the infrared laser photolysis of 1-chloro-1-fluoroethylene: experiment and modeling calculations, 229
Ochoa, Ellen, Improved aluminum coatings for the ultraviolet, 15
———, Low-level losses in ultraviolet laser window materials, 18
Ogle, J., High-speed photodetector for plasma diagnostics, 404
Ogle, J. W., Signal enhancement by spectral equalization of high-frequency broadband signals transmitted through optical fibers, 317
O'Kay, N., Optical tooling for Antares, 154
Olsen, C., Solid-state phase transitions in CuCl under hydrostatic pressures to 12.8 GPa, 314
Owyoung, Adelbert, Use of a free-expansion jet in ultrahigh resolution Raman spectroscopy, 288
Parker, Jerald V., Passive retropulse protection through enhanced optical breakdown, 192
Patterson, C. W., Modeling the CF_4 laser, 209

Peyraud, Jean, Stimulated ion-Compton modulation of a laser beam, 199
Player, Brian E., Development of two infrared position sensors, 454
Pomphrey, P. J., Continuous wave (cw) chemical laser outcoupled beam diagnostic system, 465
Radziemski, L. J., Laser-induced breakdown spectroscopy: a technique for atomic detection and molecular identification, 241
Rebentrost, F., Coherent propagation effects in multiple-photon molecular excitation, 551
Richter, John L., New catadioptric telescope, 33
Ringwelski, A., Kinetics of a continuous wave (cw) infrared laser induced reaction, 217
Romero, V., *In situ* optical breakdown—studies for a large CO_2 laser amplifier, 169
Saxman, A. C., Antares alignment gimbal positioner, 173
———, Optical tooling for Antares, 154
Schmidt, L. C., Solid-state phase transitions in CuCl under hydrostatic pressures to 12.8 GPa, 314
Scholl, Marija S., Optical analysis of segmented aperture averager, 93
Schwemmer, Geary K., Meteorological lidar developments, 383
Seagrave, J. D., Position diagnostics for a magnetic-pinch imploding cylinder x-ray generator, 493
Seery, B. D., Continuous wave (cw) chemical laser outcoupled beam diagnostic system, 465
Selk, R., High-speed photodetector for plasma diagnostics, 404
Shannon, R. R., Coherent approach to optical engineering, 596
Shapiro, S. L., Ultraviolet phase conjugation and its practical implications, 253
Shwartz, J., Optical quality of pulsed aerodynamic laser windows, 118
Simmons, R. D., High-speed photodetector for plasma diagnostics, 404
Smartt, R. N., Design and performance of a new emission-line coronagraph, 395
Smith, J. D., Multiple-point Thomson scattering measurement for the ZT-40 reversed field pinch, 280
Smith, R. C., Multigigahertz beam diagnostics for laser fusion, 458
Smith, W. Lee, High-intensity transmission properties of conventional and polymeric index-matching fluids, 115
Snyder, James J., Fizeau wavemeter, 258
Sollid, J. E., Calorimetry at 10.6 μm using organic volume absorbers, 476
Sorem, Michael S., Sub-Doppler optoacoustic spectroscopy, 308
Steel, W. H., The role of shear in interferometry, 601
Steffen, R. W., Continuous wave (cw) chemical laser outcoupled beam diagnostic system, 465
Stotlar, Suzanne C., Large area, high speed detectors for the ultraviolet, 421
———, Los Alamos Conference on Optics '81, Optics in Energy, overview:, 1
Swann, T., Opto-mechanical devices for the Antares automatic beam alignment system, 484
Sweatt, W. C., Antares alignment gimbal positioner, 173
Tallant, D. R., Application of dual-beam second-derivative tunable diode laser infrared spectroscopy to trace gas measurement at atmospheric pressure, 245
Valentini, James J., Use of a free-expansion jet in ultrahigh resolution Raman spectroscopy, 288
Viswanathan, V. K., Antares alignment gimbal positioner, 173
———, Optical analysis and alignment applications using the infrared Smartt interferometer, 415
Wiggins, Carl M., Modes of unstable ring resonator with self-imaging aperture, 353
Wilkerson, Thomas D., Meteorological lidar developments, 383
Williams, B. S., Ozone air broadening coefficients in the 9 μm region, 376
Winkler, Max A., Ultraviolet spectrograph lens, 12
Witt, J., Opto-mechanical devices for the Antares automatic beam alignment system, 484
Woodfin, G. L., Antares alignment gimbal positioner, 173
Woods, C. W., Design and construction of a short pulse front end for a large CO_2 laser, 179
———, Position diagnostics for a magnetic-pinch imploding cylinder x-ray generator, 493
Yates, G. J., Nanosecond gating properties of proximity-focused microchannel-plate image intensifiers, 426
Zagarino, P., High-speed photodetector for plasma diagnostics, 404
Zitter, R. N., Kinetics of a continuous wave (cw) infrared laser induced reaction, 217

SUBJECT INDEX

AgI at pressures to 136 kbar, absorption spectra of, 310
Aberration corrector for fusion beam trains, deformable mirror as a phase, 83
Aberration, out-of-focus intensity distribution: effects of focal number and, 63
Absorbers, calorimetry at 10.6 μm using organic volume, 476
Absorbers, temporal shaping of nanosecond CO_2 laser pulses in multiphoton saturable, 184
Absorption spectra of AgI at pressures to 136 kbar, 310
Aerodynamic laser windows, optical quality of pulsed, 118
Air broadening coefficients in the 9 μm region, ozone, 376
Aliasing errors in numerical evaluation of diffraction patterns, distinctions between undersampling and, 512
Alignment gimbal positioner, antares, 173
Alignment and spacing of optics, noncontact, 111
Alignment system, opto-mechanical devices for the Antares automatic beam, 484
Aluminum coatings for the ultraviolet, improved, 15
Aluminum mirrors for a large aperture precision collimator operating at cryogenic temperatures, design and fabrication of, 104
Amplifier, *in situ* optical breakdown—studies for a large CO_2 laser, 169
Amplifier, small signal gain spectrum of an 1800 Torr CO_2, 164
Analytic software for the testing of annular resonator concepts, 336
Annular apertures focused in the Fresnel region, 505
Annular resonator concepts, analytic software for the testing of, 336
Antares alignment gimbal positioner, 173
Antares automatic beam alignment system, opto-mechanical devices for the, 484
Antares, optical tooling for, 154
Aperture averager, optical analysis of segmented, 93
Aperture, modes of unstable ring resonator with self-imaging, 353
Aperture precision collimator operating at cryogenic temperatures, design and fabrication of aluminum mirrors for a large, 104
Apertures focused in the Fresnel region, annular, 505
Application of dual-beam second-derivative tunable diode laser infrared spectroscopy to trace gas measurement at atmospheric pressure, 245
Array instrument, an image intensified linear self-scanned, 447
Atmospheric pressure, application of dual-beam second-derivative tunable diode laser infrared spectroscopy to trace gas measurement at, 245
Atomic detection and molecular identification, laser-induced breakdown spectroscopy: a technique for, 241
Averager, optical analysis of segmented aperture, 93

Beam alignment system, opto-mechanical devices for the Antares automatic, 484
Beam diagnostic system, continuous wave (cw) chemical laser outcoupled, 465
Beam diagnostics for laser fusion, multigigahertz, 458
Beam expanders, interferometry of large diameter, 38
Beam trains, deformable mirror as a phase aberration corrector for fusion, 83

Bioluminescence, laser-induced, 263
Breakdown, passive retropulse protection through enhanced optical, 192
Breakdown spectroscopy: a technique for atomic detection and molecular identification, laser-induced, 241
Breakdown—studies for a large CO_2 laser amplifier, *in situ* optical, 169
Broadband signals transmitted through optical fibers, signal enhancement by spectral equalization of high-frequency, 317

CF_4 laser, modeling the, 209
CO_2 amplifier, small signal gain spectrum of an 1800 Torr, 164
CO_2 interferometer for plasma density measurements on ZT-40, eight-chord, 269
CO_2 laser amplifier, *in situ* optical breakdown—studies for a large, 169
CO_2 laser, design and construction of a short pulse front end for a large, 179
CO_2 laser fusion targets using backscattered light, optical diagnostics of, 470
CO_2 laser pulses in multiphoton saturable absorbers, temporal shaping of nanosecond, 184
CuCl under hydrostatic pressures to 12.8 GPa, solid-state phase transitions in, 314
Calorimetry at 10.6 μm using organic volume absorbers, 476
Cassegrain solar furnace, concentration of a, 46
Catadioptric telescope, new, 33
Characterization of diamond-turned metal optics, surface, 534
Characterization of thin films, scanning microellipsometer for the spatial, 390
Charge of a lead-acid battery, optical method for determining the state-of-, 349
Chemical laser outcoupled beam diagnostic system, continuous wave (cw), 465
Coatings, performance-limiting factors in optical, 580
Coatings for the ultraviolet, improved aluminum, 15
Coefficients in the 9 μm region, ozone air broadening, 376
Coherent approach to optical engineering, a, 596
Coherent propagation effects in multiple-photon molecular excitation, 551
Collectors using reverse illumination, optical characterization method for concentrating solar, 498
Collimator operating at cryogenic temperatures, design and fabrication of aluminum mirrors for a large aperture precision, 104
Combustion measurements, optical fiber probe using tunable laser absorption spectroscopy for, 236
Compton modulation of a laser beam, stimulated ion-, 199
Concentration of a Cassegrain solar furnace, 46
Conduction of optical and infrared radiation, thick optical films for the, 25
Continuous wave (cw) chemical laser outcoupled beam diagnostic system, 465
Continuous wave (cw) infrared laser induced reaction, kinetics of a, 217
Coronagraph, design and performance of a new emission-line, 395
Corrector for fusion beam trains, deformable mirror as a phase aberration, 83
Coupling, diffraction, and fluctuations on superfluorescence evolution, effects of propagation, transverse mode, 353
Cryogenic temperatures, design and fabrication of aluminum mirrors for a large aperture precision collimator operating at, 104

Damage testing of coated reflectors at excimer laser wavelengths, laser, 21
Damage threshold infrared Smartt interferometer, design and fabrication of a high-, 412
Deformable mirror as a phase aberration corrector for fusion beam trains, 83
Density measurements on ZT-40, eight-chord CO_2 interferometer for plasma, 269
Design and construction of a short pulse front end for a large CO_2 laser, 179
Design and fabrication of aluminum mirrors for a large aperture precision collimator operating at cryogenic temperatures, 104
Design and fabrication of a high-damage threshold infrared Smartt interferometer, 412
Design and performance of the Lockheed Sensor Test Facility (LSTF), optical system, 340
Design and performance of a new emission-line coronagraph, 395
Detection and molecular identification, laser-induced breakdown spectroscopy: a technique for atomic, 241
Detectors for the ultraviolet, large area, high speed, 421
Development of two infrared position sensors, 454
Diagnostic system, continuous wave (cw) chemical laser outcoupled beam, 465
Diagnostics of CO_2 laser fusion targets using backscattered light, optical, 470
Diagnostics, high-speed photodetector for plasma, 404
Diagnostics for laser fusion, multigigahertz beam, 458
Diagnostics, lasers as a tool for plasma, 518
Diagnostics for a magnetic-pinch imploding cylinder x-ray generator, position, 493
Diamond-turned metal optics, surface characterization of, 534
Diffraction, and fluctuations on superfluorescence evolution, effects of propagation, transverse mode coupling, 353
Diffraction patterns, distinctions between undersampling and aliasing errors in numerical evaluation of, 512
Diode laser infrared spectroscopy to trace gas measurement at atmospheric pressure, application of dual-beam second-derivative tunable, 245
Distinctions between undersampling and aliasing errors in numerical evaluation of diffraction patterns, 512
Doppler optoacoustic spectroscopy, sub-, 308
Dual-beam second-derivative tunable diode laser infrared spectroscopy to trace gas measurement at atmospheric pressure, application of, 245

Effects of propagation, transverse mode coupling, diffraction, and fluctuations on superfluorescence evolution, 353
Eight-chord CO_2 interferometer for plasma density measurements on ZT-40, 269
1800 Torr CO_2 amplifier, small signal gain spectrum of an, 164
Emission-line coronagraph, design and performance of a new, 395
Energy, overview: Los Alamos Conference on Optics '81: Optics in, 1
Engineering, a coherent approach to optical, 596
Enhanced optical breakdown, passive retropulse protection through, 192
Enhancement by spectral equalization of high-frequency broadband signals transmitted through optical fibers, signal, 317
Equalization of high-frequency broadband signals transmitted through optical fibers, signal enhancement by spectral, 317
Errors in numerical evaluation of diffraction patterns, distinctions between undersampling and aliasing, 512
Excimer laser wavelengths, laser damage testing of coated reflectors at, 21
Excitation, coherent propagation effects in multiple-photon molecular, 551
Expanders, interferometry of large diameter beam, 38
Expansion jet in ultrahigh resolution Raman spectroscopy, use of a free-, 288

Faraday rotation measurement of ZT-40 poloidal magnetic field, far-infrared, 276
Far-infrared Faraday rotation measurement of ZT-40 poloidal magnetic field, 276
Fiber optic applications, new liquid scintillators for, 322
Fiber probe using tunable laser absorption spectroscopy for combustion measurements, optical, 236
Fibers, signal enhancement by spectral equalization of high-frequency broadband signals transmitted through optical, 317
Field, Far-infrared Faraday rotation measurement of ZT-40 poloidal magnetic, 276
Figures of merit for short wavelength lasers, 561
Films for the conduction of optical and infrared radiation, thick optical, 25
Fizeau wavemeter, 258

Fluctuations on superfluorescence evolution, effects of propagation, transverse mode coupling, diffraction, and, 353
Fluids, high-intensity transmission properties of conventional and polymeric index-matching, 115
Focal number and aberration, out-of-focus intensity distribution: effects of, 63
Focus intensity distribution: effects of focal number and aberration, out-of-, 63
Focused in the Fresnel region, annular apertures, 505
Focusing in SF_6, self-, 223
Force fields, use of matrix methods in the calculation of the normal modes of molecular vibrations and refinement of molecular, 300
Four-wave mixing: steady-state plane-wave analytic solutions simulated Raman scattering and, 293
Free-expansion jet in ultrahigh resolution Raman spectroscopy, use of a, 288
Frequency response of the thermal lens, 372
Fresnel region, annular apertures focused in the, 505
Front end for a large CO_2 laser, design and construction of a short pulse, 179
Furnace, concentration of a Cassegrain solar, 46
Fusion beam trains, deformable mirror as a phase aberration corrector for, 83
Fusion ignition, uncertainties associated with inertial, 587
Fusion, multigigahertz beam diagnostics for laser, 458
Fusion targets using backscattered light, optical diagnostics of CO_2 laser, 470

Gas measurement at atmospheric pressure, application of dual-beam second-derivative tunable diode laser infrared spectroscopy to trace, 245
Gating properties of proximity-focused microchannel-plate image intensified, nanosecond, 426
Generator, position diagnostics for a magnetic-pinch imploding cylinder x-ray, 493
Geometrical optics in a laser laboratory, 568
Glancing incidence optics for high power lasers, 54

High-damage threshold infrared Smartt interferometer, design and fabrication of a, 412
High frequency broadband signals transmitted through optical fibers, signal enhancement by spectral equalization of, 317
High intensity transmission properties of conventional and polymeric index-matching fluids, 115
High power laser beam reflectors, mirror figure-of-merit and material index-of-goodness for, 69
High power lasers, glancing incidence optics for, 54
High-precision multipass reflectometer, 387
High speed detectors for the ultraviolet, large area, 421
High speed photodetector for plasma diagnostics, 404
Hydrostatic pressures to 12.8 GPa, solid-state phase transitions in CuCl under, 314

Ignition, uncertainties associated with inertial fusion, 587
Illumination, optical characterization method for concentrating solar collectors using reverse, 498
Image intensified linear self-scanned array instrument, an, 447
Image intensifiers, nanosecond gating properties of proximity-focused microchannel-plate, 426
Impedance characteristics of optically shuttered channel intensifier tubes, radial pulse propagation and, 434
Imploding cylinder x-ray generator, position diagnostics for a magnetic-pinch, 493
Improved aluminum coatings for the ultraviolet, 15
Induced bioluminescence, laser, 263
In situ optical breakdown—studies for a large CO_2 laser amplifier, 169
Incidence optics for high power lasers, glancing, 54
Index-matching fluids, high-intensity transmission properties of conventional and polymeric, 115
Infrared Faraday rotation measurement of ZT-40 poloidal magnetic field, far-, 276
Infrared laser induced reaction, kinetics of a continuous wave (cw), 17
Infrared laser photolysis of 1-chloro-1-fluoroethylene: experiment and modeling calculations, pressure and power dependence in the, 229
Infrared polarizer selection, 129
Infrared position sensors, development of two, 454
Infrared radiation, thick optical films for the conduction of optical and, 25
Infrared reflectors: some calculations, measurement in visible light of wavefront errors produced by dielectric-enhanced, 78
Infrared Smartt interferometer, optical analysis and alignment applications using the, 415
Infrared spectroscopy to trace gas measurement at atmospheric pressure, application of dual-beam second-derivative tunable diode laser, 245
Intensified linear self-scanned array instrument, an image, 447
Intensifier tubes, radial pulse propagation and impedance characteristics of optically shuttered channel, 434
Intensifiers, nanosecond gating properties of proximity-focused microchannel-plate image, 426
Intensity distribution: effects of focal number and aberration, out-of-focus, 63
Interferometer, design and fabrication of a high-damage threshold infrared Smartt, 412
Interferometer, modernizing Michelson's stellar, 545
Interferometer, optical analysis and alignment applications using the infrared Smartt, 415
Interferometer for plasma density measurements on ZT-40, eight-chord CO_2, 269
Interferometry of large diameter beam expanders, 38
Interferometry, the role of shear in, 601
Ion-Compton modulation of a laser beam, stimulated, 199

Jet in ultrahigh resolution Raman spectroscopy, use of a free-expansion, 288

Kinetics of a continuous wave (cw) infrared laser induced reaction, 17

Large aperture precision collimator operating at cryogenic temperatures, design and fabrication of aluminum mirrors for a, 104
Large area, high speed detectors for the ultraviolet, 421
Large CO_2 laser amplifier, *in situ* optical breakdown—studies for a, 169
Large CO_2 laser, design and construction of a short pulse front end for a, 179
Laser absorption spectroscopy for combustion measurements, optical fiber probe using tunable, 236
Laser amplifier, *in situ* optical breakdown—studies for a large CO_2, 169
Laser beam reflectors, mirror figure-of-merit and material index-of-goodness for high power, 69
Laser beam, stimulated ion-Compton modulation of a, 199
Laser damage testing of coated reflectors at excimer laser wavelengths, 21
Laser, design and construction of a short pulse front end for a large CO_2, 179
Laser fusion, multigigahertz beam diagnostics for, 458
Laser fusion targets using backscattered light, optical diagnostics of CO_2, 470
Lasers, glancing incidence optics for high power, 54
Laser-induced bioluminescence, 263
Laser-induced breakdown spectroscopy: a technique for atomic detection and molecular identification, 241
Laser-induced reaction, kinetics of a continuous wave (cw) infrared, 217
Laser infrared spectroscopy to trace gas measurement at atmospheric pressure, application of dual-beam second-derivative tunable diode, 245
Laser laboratory, geometrical optics in a, 568
Laser, modeling the CF_4, 209

Laser outcoupled beam diagnostic system, continuous wave (cw) chemical, 465
Laser photolysis of 1-chloro-1-fluoroethylene: experiment and modeling calculation, pressure and power dependence in the infrared, 229
Laser pulses in multiphoton saturable absorbers, temporal shaping of nanosecond CO_2, 184
Laser window materials, low-level losses in ultraviolet, 18
Laser windows, optical quality of pulsed aerodynamic, 118
Lasers, figures of merit for short wavelength, 561
Lasers as a tool for plasma diagnostics, 518
Lead-acid battery, optical method for determining the state-of-charge of a, 349
Lens, frequency response of the thermal, 372
Lens, ultraviolet spectrograph, 12
Lidar developments, meteorological, 383
Light, optical diagnostics of CO_2 laser fusion targets using backscattered, 470
Light of wavefront errors produced by dielectric-enhanced infrared reflectors: some calculations, measurement in visible, 78
Limiting factors in optical coatings, performance-, 580
Liquid scintillators for fiber optic applications, new, 322
Lockheed Sensor Test Facility (LSTF), optical system design and performance of the 340
Losses in ultraviolet laser window materials, low-level, 18
Low-level losses in ultraviolet laser window materials, 18

Magnetic field far-infrared Faraday rotation measurement of ZT-40 poloidal, 276
Magnetic-pinch imploding cylinder x-ray generator, position diagnostics for a, 493
Material index-of-goodness for high power laser beam reflectors, mirror figure-of-merit and, 69
Materials, low-level losses in ultraviolet laser window, 18
Matrix methods in the calculation of the normal modes of molecular vibrations and refinement of molecular force fields, use of, 300
Measurement in visible light of wavefront errors produced by dielectric-enhanced infrared reflectors: some calculations, 78
Measurement of ZT-40 poloidal magnetic field, far-infrared Faraday rotation, 276
Metal optics, surface characterization of diamond-turned, 534
Meteorological lidar developments, 383
Michelson's stellar interferometer, modernizing, 545
Microellipsometer for the spatial characterization of thin films, scanning, 390
Mirror figure-of-merit and material index-of-goodness for high power laser beam reflectors, 69
Mirror as a phase aberration corrector for fusion beam trains, deformable, 83
Mirrors for a large aperture precision collimator operating at cryogenic temperatures, design and fabrication of aluminum, 104
Mixing: steady-state plane-wave analytic solutions, stimulated Raman scattering and four-wave, 293
Modeling calculations, pressure and power dependence in the infrared laser photolysis of 1-chloro-1-fluoroethylene: experiment and, 229
Modeling the CF_4 laser, 209
Modernizing Michelson's stellar interferometer, 545
Modes of unstable ring resonator with self-imaging aperture, 353
Modulation of a laser beam, stimulated ion-Compton, 199
Molecular excitation, coherent propagation effects in multiple-photon, 551
Molecular force fields, use of matrix methods in the calculation of the normal modes of molecular vibrations and refinement of, 300
Molecular identification, laser-induced breakdown spectroscopy: a technique for atomic detection and, 241
Molecular vibrations and refinement of molecular force fields, use of matrix methods in the calculation of the normal modes of, 300
Molybdenum optical components, reduction and elimination of surface texture on, 136
Multigigahertz beam diagnostics for laser fusion, 458
Multipass reflectometer, high-precision, 387
Multiple-point Thomson scattering measurement for the ZT-40 reversed field pinch, 280
Multiphoton saturable absorbers, temporal shaping of nanosecond CO_2 laser pulses in, 184

Nanosecond CO_2 laser pulses in multiphoton saturable absorbers, temporal shaping of, 184
Nanosecond gating properties of proximity-focused microchannel-plate image intensifiers, 426
New catadioptric telescope, 33
New liquid scintillators for fiber optic applications, 322
9 μm region, ozone air broadening coefficients in the, 376
Noncontact alignment and spacing of optics, 111
Numerical evaluation of diffraction patterns, distinctions between undersampling and aliasing errors in, 512

1-chloro-1-fluoroethylene: experiment and modeling calculations, pressure and power dependence in the infrared laser photolysis of, 229
Optical analysis and alignment applications using the infrared Smartt interferometer, 415
Optical analysis of segmented aperture averager, 93
Optical breakdown, passive retropulse protection through enhanced, 192
Optical breakdown—studies for a large CO_2 laser amplifier, *in situ*, 169
Optical characterization method for concentrating solar collectors using reverse illumination, 498
Optical coatings, performance-limiting factors in, 580
Optical components, reduction and elimination of surface texture on molybdenum, 136
Optical diagnostics of CO_2 laser fusion targets using backscattered light, 470
Optical engineering, a coherent approach to, 596
Optical fiber probe using tunable laser absorption spectroscopy for combustion measurements, 236
Optical fibers, signal enhancement by spectral equalization of high-frequency broadband signals transmitted through, 317
Optical films for the conduction of optical and infrared radiation, thick, 25
Optical and infrared radiation, thick optical films for the conduction of, 25
Optical method for determining the state-of-charge of a lead-acid battery, 349
Optical quality of pulsed aerodynamic laser windows, 118
Optical system design and performance of the Lockheed Sensor Test Facility (LSTF), 340
Optical tooling for Antares, 154
Optics in Energy, Overview: Los Alamos Conference on Optics '81, 1
Optics for high power lasers, glancing incidence, 54
Optics in a laser laboratory, geometrical, 568
Optics, noncontact alignment and spacing of, 111
Optics, surface characterization of diamond-turned metal, 534
Optoacoustic spectroscopy, sub-Doppler, 308
Opto-mechanical devices for the Antares automatic beam alignment system, 484
Organic volume absorbers, calorimetry at 10.6 μm using, 476
Out-of-focus intensity distribution: effects of focal number and aberration, 63
Overview: Los Alamos Conference on Optics '81, Optics in Energy, 1
Ozone air broadening coefficients in the 9 μm region, 376

Passive retropulse protection through enhanced optical breakdown, 192
Performance-limiting factors in optical coatings, 580
Phase aberration corrector for fusion beam trains, deformable mirror as a, 83
Phase conjugation and its practical implications, ultraviolet, 253
Phase transitions in CuCl under hydrostatic pressures to 12.8 GPa, solid-state, 314
Photodetector for plasma diagnostics, high-speed, 404

Photolysis of 1-chloro-1-fluoroethylene: experiment and modeling calculations, pressure and power dependence in the infrared laser, 229
Plane-wave analytic solutions stimulated Raman scattering and four-wave mixing: steady-state, 293
Plasma density measurements on ZT-40, eight-chord CO_2 interferometer for, 269
Plasma diagnostics, high-speed photodetector for, 404
Plasma diagnostics, lasers as a tool for, 518
Polarizer selection, infrared, 129
Poloidal magnetic field, far-infrared Faraday rotation measurement of ZT-40, 276
Position diagnostics for a magnetic-pinch imploding cylinder x-ray generator, 493
Position sensors, development of two infrared, 454
Positioner, antares alignment gimbal, 173
Power dependence in the infrared laser photolysis of 1-chloro-1-fluoroethylene: experiment and modeling calculations, pressure and, 229
Power lasers, glancing incidence optics for high, 54
Precision collimator operating at cryogenic temperatures, design and fabrication of aluminum mirrors for a large aperture, 104
Precision multipass reflectometer, high-, 387
Pressure, application of dual-beam second-derivative tunable diode laser infrared spectroscopy to trace gas measurement at atmospheric, 245
Pressure and power dependence in the infrared laser photolysis of 1-chloro-1-fluoroethylene: experiment and modeling calculations, 229
Pressures to 136 kbar, absorption spectra of AgI at, 310
Pressures to 12.8 GPa, solid-state phase transitions in CuCl under hydrostatic, 314
Propagation effects in multiple-photon molecular excitation, coherent, 551
Propagation and impedance characteristics of optically shuttered channel intensifier tubes, radial pulse, 434
Propagation, transverse mode coupling, diffraction, and fluctuations on superfluorescence evolution, effects of, 353

Radial pulse propagation and impedance characteristics of optically shuttered channel intensifier tubes, 434
Raman scattering and four-wave mixing: steady-state plane-wave analytic solutions, stimulated, 293
Raman spectroscopy, use of a free-expansion jet in ultrahigh resolution, 288
Reduction and elimination of surface texture on molybdenum optical components, 136
Reflectometer, high-precision multipass, 387
Reflectors: some calculations, measurement in visible light of wavefront errors produced by dielectric-enhanced infrared, 78
Reflectors at excimer laser wavelengths, laser damage testing of coated, 21
Reflectors, mirror figure-of-merit and material index-of-goodness for high power laser beam, 69
Resolution Raman spectroscopy, use of a free-expansion jet in ultrahigh, 288
Resonator concepts, analytic software for the testing of annular, 336
Resonator with self-imaging aperture, modes of unstable ring, 353
Retropulse protection through enhanced optical breakdown, passive, 192
Reverse illumination, optical characterization method for concentrating solar collectors using, 498
Reversed field pinch, multiple-point Thomson scattering measurement for the ZT-40, 280
Ring resonator with self-imaging aperture, modes of unstable, 353
Role of shear in interferometry, the, 601
Rotation measurement of ZT-40 poloidal magnetic field, far-infrared Faraday, 276

SF_6, self-focusing in, 223
Saturable absorbers, temporal shaping of nanosecond CO_2 laser pulses in multiphoton, 184
Scanned array instrument, an image intensified linear self-, 447
Scanning microellipsometer for the spatial characterization of thin films, 390
Scattering and four-wave mixing: steady-state plane-wave analytic solution, stimulated Raman, 293
Scattering measurement for the ZT-40 reversed field pinch, multiple-point Thomson, 280
Self-focusing in SF_6, 223
Self-imaging aperture, modes of unstable ring resonator with, 353
Self-scanned array instrument, an image intensified linear, 447
Sensors, development of two infrared position, 454
Shaping of nanosecond CO_2 laser pulses in multiphoton saturable absorbers, temporal, 184
Shear in interferometry, the role of, 601
Short pulse front end for a large CO_2 laser, design and construction of a, 179
Short wavelength lasers, figures of merit for, 561
Shuttered channel intensifier tubes, radial pulse propagation and impedence characteristics of optically, 434
Signal enhancement by spectral equalization of high-frequency broadband signals transmitted through optical fibers, 317
Signal gain spectrum of an 1800 Torr CO_2 amplifier, small, 164
Small signal gain spectrum of an 1800 Torr CO_2 amplifier, 164
Smartt interferometer, design and fabrication of a high-damage threshold infrared, 412
Smartt interferometer, optical analysis and alignment applications using the infrared, 415
Software for the testing of annular resonator concepts, analytic, 336
Solar collectors using reverse illumination, optical characterization method for concentrating, 498
Solar furnace, concentration of a Cassegrain, 46
Solid-state phase transitions in CuCl under hydrostatic pressures to 12.8 GPa, 314
Solutions, stimulated Raman scattering and four-wave mixing: steady-state plane-wave analytic, 293
Spatial characterization of thin films, scanning microellipsometer for the, 390
Spectra of AgI at pressures to 136 kbar, absorption, 310
Spectral equalization of high-frequency broadband signals transmitted through optical fibers, signal enhancement by, 317
Spectrograph lens, ultraviolet, 12
Spectroscopy for combustion measurements, optical fiber probe using tunable laser absorption, 236
Spectroscopy, use of a free-expansion jet in ultrahigh resolution Raman, 288
Spectroscopy, sub-Doppler optoacoustic, 308
Spectroscopy: a technique for atomic detection and molecular identification, laser-induced breakdown, 241
Spectroscopy to trace gas measurement at atmospheric pressure, application of dual-beam second-derivative tunable diode laser infrared, 245
Spectrum of an 1800 Torr CO_2 amplifier, small signal gain, 164
State-of-charge of a lead-acid battery, optical method for determining the, 349
Steady-state plane-wave analytic solutions, stimulated Raman scattering and four-wave mixing:, 293
Stellar interferometer, modernizing Michelson's, 545
Stimulated ion-Compton modulation of a laser beam, 199
Stimulated Raman scattering and four-wave mixing: steady-state plane-wave analytic solutions, 293
Sub-Doppler optoacoustic spectroscopy, 308
Superfluorescence evolution, effects of propagation, transverse mode coupling, diffration, and fluctuations on, 353
Superradiant state, transverse effects in swept-gain superradiance: evolution from the, 364
Surface characterization of diamond-turned metal optics, 534
Surface texture on molybdenum optical components, reduction and elimination of, 136
Swept-gain superradiance: evolution from the superradiant state, transverse effects in, 364

Targets using backscattered light, optical diagnostics of CO_2 laser fusion, 470
Telescope, new catadioptric, 33
Temporal shaping of nanosecond CO_2 laser pulses in multiphoton saturable absorbers, 184
Thermal lens, frequency response of the, 372
Thick optical films for the conduction of optical and infrared radiation, 25
Thin films, scanning microellipsometer for the spatial characterization of, 390
Thomson scattering measurement for the ZT-40 reversed field pinch, multiple-point, 280
Threshold infrared Smartt interferometer, design and fabrication of a high-damage, 412
Tooling for Antares, optical, 154
Trace gas measurement at atmospheric pressure, application of dual-beam second-derivative tunable diode laser infrared spectroscopy to, 245
Trains, deformable mirror as a phase aberration corrector for fusion beam, 83
Transmission properties of conventional and polymeric index-matching fluids, high-intensity, 115
Transverse effects in swept-gain superradiance, evolution from the superradiant state, 364
Transverse mode coupling, diffraction, and fluctuations on superfluorescence evolution, effects of propagation, 353
Tunable diode laser infrared spectroscopy to trace gas measurement at atmospheric pressure, application of dual-beam second-derivative, 245
Tunable laser absorption spectroscopy for combustion measurements, optical fiber probe using, 236

Ultrahigh resolution Raman spectroscopy, use of a free-expansion jet in, 288
Ultraviolet, improved aluminum coatings for the, 15
Ultraviolet, large area, high speed detectors for the, 421
Ultraviolet laser window materials, low-level losses in, 18
Ultraviolet phase conjugation and its practical implications, 253
Ultraviolet spectrograph lens, 12
Uncertainties associated with inertial fusion ignition, 587
Undersampling and aliasing errors in numerical evaluation of diffraction patterns, distinctions between, 512
Unstable ring resonator with self-imaging aperture, modes of, 353
Use of a free-expansion jet in ultrahigh resolution Raman spectroscopy, 288
Use of matrix methods in the calculation of the normal modes of molecular vibrations and refinement of molecular force fields, 300

Vibrations and refinement of molecular force fields, use of matrix methods in the calculation of the normal modes of molecular, 300
Visible light of wavefront errors produced by dielectric-enhanced infrared reflectors: some calculations, measurement in, 78

Wavefront errors produced by dielectric-enhanced infrared reflectors: some calculations, measurement in visible light of, 78
Waveguide, whispering-mode, 142
Wavelengths, laser damage testing of coated reflectors at excimer laser, 21
Wavemeter, Fizeau, 258
Whispering-mode waveguide, 142

X-ray generator, position diagnostics for a magnetic-pinch imploding cylinder, 493

ZT-40, eight-chord CO_2 interferometer for plasma density measurements on, 269
ZT-40 poloidal magnetic field, far-infrared Faraday rotation measurement of, 276
ZT-40 reversed field pinch, multiple-point Thomson scattering measurement for the, 280